




WeiHui
CABINET LED

THE ZENITH OF
CABINET LED SOLUTION

SPECIFICATIONS

Cutting Free Led Strip Light Series



Item No.: MH Series (A)

Version: V2

Date: 2023-11-04

深圳市维晖科技有限公司
Shenzhen Weihui Technology Co., Ltd.

☎ +86 755-28680576

✉ sales@lz-ledlighting.com

☎ +86 755-28680576


🌐 www.lz-ledlighting.com

📍 Add: 4th Floor, Building B, District 2, XinWang Industrial Park,
No. 28, LongTeng Street, Jianlong Road, Yuanshan, Longgang
District, Shenzhen

FEATURES

1. Separate cables from light body, easy after service.
2. Available for cutting in any length. Reconnect without soldering.
3. Soft and even lighting effect, good for eyes.

MH01A Recessed LED strip light




MH02A Wooden shelf light





MH03A LED glass shelf light




MH04A LED corner strip light




MH05A Surface mounting strip light




MH06A Wooden shelf light



MH07A LED glass shelf light



MH08A Recessed LED Strip light




TECHNICAL DATA

Model	Input Voltage	Wattage	LED Type	LED Quantity	CRI
MH01A	12VDC	10W/m	SMD2216	150pcs/m	>90
MH02A					
MH03A					
MH04A					
MH06A					
MH07A					
MH08A					
MH05A	12VDC	10W/m	SMD2216	258pcs/m	>90

INSTALLATION


MH01A

Recommended Groove Size:
Length(-8)*10mm(width)*10mm(depth)




MH02A

Cut off 7.8mm width
of the back board




MH03A

Cut off 5.4mm width of the rear glass




MH04A

Surfaced installation




MH05A




MH06A

Cut off 16mm width
of the back board




MH07A

Cut off 5mm width
of the rear glass



MH08A


Recommended Groove Size:
Length(-8)*10mm(width)*10mm(depth)



APPLICATION

Suitable for any Kitchen cabinet, wardrobe, showcase, bookcase and other cabinets





NOTES

1. For indoor use only.
2. Do not disassemble the product.
3. Do not install the switch in water dropping place.
4. Use a dry cloth, never a strong cleaning agent.
5. Replace all set switch device if case of quality or malfunction.